

G. R. S. 58]

Previous references.

File No. 33/-E

1913.

Serial Nos.

(Mysore)

1-5

Later references

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 1-5

Part B for March 1914

SUBJECT.

Site for the ~~mason~~ construction of
a masonry dam across Baudihall
in the Doda Ballapur Taluk

To, The Chief Engr

Mysore no 2372
7.3.14

Accepts his opinion re the
suitability of the _____

GPB-10,000-23-3-15

Chandrasekhar
VII

GENERAL AND REVENUE SECRETARIAT.

(Muzrai)

NOTES.

File No. 331-13

FILE HEADING.

Transfer of funds to the P. W. D. from those of the
 Sri Sphat' Subrahmanyaswami Temple in the
 Doddallapur Taluk for certain improvements thereto.

From

The Chief Engineer of Mysore.

No.

339

Dated 15.1.14

Received 16.1.14

Diary No 1294

Enclos —

Spare Copies

Serial No

1

BRIEF ABSTRACT OF LETTER.

Requests that a sum of Rs 18,000 may be placed
 at his disposal early for expenditure on the work
 during the current year and states that the
 Super Engineer, Southern Circle, has applied for the said
 amount.

NOTES AND ORDERS.

Draft sanction is subd. for approval

Attention in this connection is invited to Mr.
 Supdt's No 6102 11.11.13 wherein he has requested the
 P.W. (65) transfer of the amount from the temple funds
 to the credit of the P.W.
 17/1
 am
 17.1.14

Revenue
Secretariat.

Muz File No. 331

of 1913.

Serial
No.

Subd 57th Committee
has
18 1

NOTE—Contn. sheet.

Serial
No.

Note

V In para 5 of G.O. no 980-3-M-7
778-05-14 dated 21-2-13 sanctioning
a lump sum expenditure of Rs 36000
for the execution of certain works from
the temple funds, it was clearly laid
down that 'estimates in respect of each
of these works should however be separately
prepared in detail by the Public Works
Department and forwarded with as little
delay as possible to the Deputy Commissioner
who will submit them immediately on
receipt to Govt for orders'. The procedure
indicated above clearly meant that
after approval in the P.W.D., the estimates
should be returned to the Sd Commr who
should obtain the orders of Govt - in the
Muzrai Dept: naturally.

Q That - this was the view of
the Branch will be seen from the letter
to the Chief Engineer no 771 dated 30-8-1913
and the letter to the Sd Commr no 1062 dated
22nd Sept 1913 and no 1181 dated 25.10
1913.

S In connection with a requisition
from the Sanitary Eng: to the Muzrai Eng: dated 20th Nov 1913 for the transfer of the

Serial
No.

X

Page 31 After
notes

Sum of Rs 36,000 sanctioned, from the temple funds to the P.W. ~~and~~ a draft was submitted for the approval of the Councils sanctioning the transfer. The Councils wanted to make sure that the estimates were received and approved in the Mus Dept. and ^{that the} draft might have the effect of placing the matter in the hands of the P.W.D. This remark of the Councils is dated 20th Nov and was received here in camp on the 22nd idem. I returned the file to the quarters as I wished to make personal enquiry at the P.W.D. Secretariat. to know the stage at which the matter stood.

Y

The Chief Eng^r in replying to my letter of 2nd Nov 1913, communicated in his letter to 2511 dated 26th Nov 1913 that a project amounting Rs 76,858 has been submitted to the Dewan. I did not see this reference until my return to Bangalore on the 18th Dec. as I was touring in the interior parts of the Mysore St^y. As soon as I saw this letter I drafted a letter to the Chief Eng^r pointing out the error in the procedure and ~~submitting~~ the same for the approval of the Councils.

Z

Serial
No.

Page 33 of the
notes,

I did not
see this draft
at all & did not
see the allusion
to it in the note

I did not refer
it to Dewar

My note dated 18th Decr. 1913 which the
Councillor is pleased to say he does not
understand, gives cover to this draft and
also alludes to the requisition of the Sanitary
Eng^r for transferring funds to the credit of
the D. P. W.

No orders upon this draft was
received and on making enquiries I found
that the file had been sent on to the Secy
of the 1st Councillor or from his office. In
these circumstances I was unable to take
any further action.

The G. O. of 13th Decr 1913
sanctioning the estimates reads ~~the~~ an
extract from the Notes of inspection dated
28th Sept 1913 of the Councillor regarding
the utility of the system. I am not
aware if the notes contained any other
objection as I have not ^{had} an opportunity
to peruse them. The utility of the
dawn side is touched upon in the Councillor's
Remark dated 3.11.13. There is nothing in
the order to show that this point was
considered.

I trust that the above
explanation will make it clear that
this Branch was not to blame. The matter

Serial
No.

Paper under
disposal

still
that remains for consideration and
order is the application of the chief
engineer for placing Rs 18,000 from the
funds of the temple to the credit of the
institution for expenditure during
the current year. A draft has been
put up sanctioning the transfer and
it awaits the orders of the Council.

he

24.1.14

The point about the suitability
of the site may be referred
again to the P.W.D. and the de-
partment asked to consider
it before beginning the work.

The funds may be trans-
ferred. Please submit the
file to Dewan. There is some
confusion in the arrangement
of work, probably due to an-
xiety to begin work early.

1/2/14-

[Signature]

h
2/2-

Serial
No.

(1) Issue draft sanctioning transfer.
(2) Put up draft G.P. W.D. ^{in the matter of} ~~sanctioning attention to~~
the Commissioner's remarks about the suitability of
the site contained in the ~~inspector's~~ ^{inspector's} report
and request that the question may be considered
before the department begins work.


(3) After the above is done, the file has
been subd to the Dewan

not attended to.

Subd for appl as per No 2 ³⁻² instructions.

Am (65) ^{am}
3/2

Subd to the Dewan through the
1st member


 ^{he}
5/12/14
9/1/14

Subd to the Dewan as desired
by the 1st member. A draft letter
to the Chief Engineer has been
approved

^{he}
9.2.14

The draft letter may now

12.2.14

 ^{he}
12/2

Issue today

^{he}
12/2

7554
10.2.14

Serial
No.

2 To The Chief Engineer
The Comptroller
Dy. Commr. Bangalore D.
Muz. Supd.

No. 1980-3 of 4.2.1914 Sanctions the
transfer of funds.

3 To The Chief Engineer in Mysore
No. 2088 of 12.2.14 Requests him to make
further investigation before beginning
the construction of the dam.

4 From the offg Chief Engineer of Mysore
Letter No. 1667 dated 13.2.14.

States that the present site has been selected
after taking ^{into} consideration all the circumstances
and seems best suited for the dam and that
no useful purpose would be served by ordering
a re-investigation into the matter.

Attention is invited to the remarks of
the 1st member of Council recorded on p. 6 of
the notes on 1.2.14.

Subd for order: The Chief Engineer solicits early
Am(65) 16/2 orders in the matter so that he
may proceed with the work as
originally planned

am
17/2/14

~~For the Committee~~

1528

eral and Revenue
Secretariat.

My File No. 331 of 1913.

Serial
No.

Subd 57th member

la

18.2.14

If the Dewan has seen
and approved the site
after due consideration, the
work may proceed. If
not the DMD shd see the
sites referred to again &
report opinion -

25/2/14 

$\frac{2}{27}$ -

Subd 5 Dewan

la

24.2.14

7853
camp

The scheme suggested may stand. I fear
there is some more suitable in the neighborhood

13/14


KB

$\frac{2}{27}$

Subd 5 28th member

la

Seen -


25/2/14

$\frac{2}{27}$

NOTE—Contn. sheet.

PR-50 000-111

Draw a reply that the opinion
has been accepted and the work may be
allowed to proceed 

Serial
No.

Draft subd for app
Pm (65) am
5/3 sp

Alfred
Lr.
4/3

5 To The Offg. Chief Engineer
No-2372 of 7.3.14 intimates approval
of his opinion in the matter of the site.

No. 339

Mysore Public Works Department,
Central Office,
Bangalore, Dated 15th January 1914

JURY No. 1294

From

K. Krishnaiengar, Esq., B.A., L.C.E.,
Offg. Chief Engineer of Mysore,
B A N G A L O R E.

19/3/14
SECTION <i>mur</i>
FILE No. 331-13
SERIAL No. 1

To

K. R. Srinivasaiengar, Esq., M.A.,
Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments.

Sir,

S (in the
file)

Adverting to Government Proceedings (P.W.) No. 1756-60/
10544-48 dated the 13th December 1913, according sanction to
estimates aggregating to Rs. 14,865 for improvements to be
carried out at the Sri Ghatti Subramanyaswami temple in the
Doddaballapur Taluk, I have the honour to request you will be
so good as to arrange to place at the disposal of this Depart-
ment, at your very early convenience, a sum of Rs. 18,000/- for
expenditure on the work during the current year, as the
Superintending Engineer, Southern Circle, has applied for the
amount,

I have the honour to be,

S i r,

Your most obedient servant,

K. Krishnaiengar
Offg. Chief Engineer of Mysore.

C.H.T.

Transfer of Rs 18000 from the funds of
the Sri Ghat Sri Lal-narayanaswami temple
to the P. W. D

Serial No. 2

*Proceedings of the Government of His Highness
the Maharaja of Mysore.*

READ *again*

19

RECEIVED
Para 5 of G.O. No. 980-3 dated
24th February 1913 sanctioning a lump
sum of Rs 36,000 from the funds of the
Sri Lanki Suburban Amusement
in the Dodballapur Taluk for certain
improvements ~~thereof and directing that~~
ORDER THEREON. No.

~~The estimates for the several works sanctioned
be prepared by the P W Dept and forwarded
the Report from Mysore, Bangalore
District to be submitted by him to the
Sanctioning~~

over,

GPB-10,000 29 9 10

Read:-

G.O. No. 1756-60 dated 13th December 1913 sanctioning the marginally noted 3 estimates aggregating Rs 44,865, ~~for the improvement of the temple~~, the charge being met from the sum of Rs 46,276 at ^{the} credit of the temple

* A masonry dam 30 high for the water supply Road from Maklidung
At 872 -

4,91

Two small side blocks for a Chattram -

5,40

346

Letter No. 339 dated 15th January 1914 from the offg Chief Engineer of Mysore, requesting that a sum of Rs 18,000 may be placed at the disposal of the P. W. D. for expenditure on the work during the current year.

Order thereon: No. 1780-3 - - 2047-Jobnagar 1914
778-57-332-13-9

The Comptroller is requested ~~to issue orders to transfer the sum of Rs 18,000 applied for by the Chief Engineer from the temple funds to the P. W. D.~~ He may, if sufficient amount in cash is not available at the credit of the temple, sell the pronobes in favor of the temple & make up Rs 18,000/-

~~1/2/14~~ 1/2/14

Re
18/1/14
For Secy.

To The Chief Engineer of the
" Comptroller, M.G.
" Dy Commr, Bangalore
" Muz: Suplt in Mys

Dated 17/1/14

Re 2/12

Diary No. of letter replied to —

No. 2088

General and Revenue Secretariat

()
, the 191 .)

To

The Chief Engineer
of Mysore

Date of issue 12.2.1914

Sir,

Signed by *Heavenudra*

In continuation of

G.O. no 1980-3 dated the
 4th Febry 1914 ^{mu 3 778-08} sanctioning the
 transfer of a sum of Rs 18,000
 from the funds of the Sri
 Ghati Subramanyaswami
 temple in the Doddballapur
 Taluk to the D P W for
 expenditure on certain
 works sanctioned, I am
 directed to bring to your ^{over} notice

SUBJECT

notice that a more
convenient site for placing
the dam appears to be
available and to request
that the suitability of the
site now chosen may be
further investigated and
decided upon before the
work^{on the dam}is actually commenced
The matter may be treated as
urgent & a reply furnished within a fortnight
I have to

Yours
5/2/14

ha
5/2/14
For Secy

List of enclosures

Copied by

Examined by

Mysore Public Works Department,
Central Office,

No. 1607

Dated Bangalore, 13th February 1914.

From

K.Krishnaiengar, Esq., B.A., L.C.E.,
Offg. Chief Engineer of Mysore, Bangalore.

DEPT. No. 1528.

To

K.R.Srinivasaiengar, Esq., M.A.,
Secretary to the Government of

His Highness the Maharaja of Mysore, 331-13
General and Revenue Departments. 4

1913-1914
SECTION <i>Muz. 331-13</i>
FILE No. <i>331-13</i>
SERIAL No. <i>4</i>

Sir,

With reference to your letter No. 2088/Muz.331-13 dated the 12th February 1914 stating that, in connection with the construction of a - - masonry dam across Bandihalla at the Sri Ghati Subrahmanyaswami temple in the Dodballapur Taluk, already sanctioned, "a more convenient site for placing the dam appears to be available" and that the site now chosen may be further investigated before the work is commenced, I have the honour to inform you that the valley had been thoroughly reconnoitered and carefully examined before the present site was decided upon.

2. I am of opinion that, if regard be had to distance, discharge and storage available, no other eligible site than the one already - - selected could be found. In these circumstances, no useful purpose will be served by ordering a re-investigation into the matter, which means further delay in the progress of the work.

3. I therefore request that the work may be allowed to proceed as originally planned.

I have the honour to be,

Sir,

Your most obedient servant,

H. J. Unnikrishnan
Offg. Chief Engineer of Mysore.

S.S.

6/3

Re site for the construction of a masonry
dam across Bau. Dihalla - File No. 331-13

Serial No 5

Diary No. of letter replied to 1528

No. 2372

General and Revenue Secretariat

(Muzrai)

, the

191

To

The offg. Chief Engineer,
of Mysore, Bangalore.

Date of issue 7. 3. 1914.

Signed by M^r C. Aravannan

Sir,

Papered
Index

With reference to correspondence
ending with your letter N^o-1607
dated 13th February 1914 regarding
the site for the construction of a
masonry dam across Bau. Dihalla
at the De. Ghat's Subrahmanya
swami temple in the Dodballa
Taluk, I am directed to state
that you are pleased to accept
your opinion regarding the
over.

SUBJECT.

suitability of the site now selected
for the dam and that the work
may therefore be allowed to
proceed.

Thave etc

5/3
For Deck

Am (65) 5/3
5/3

List of enclosures.

Copied by

Examined by